

# シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

## SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
2.0 × 0.5	2.0	
2.5 × 0.5	2.0	
3.0 × 0.5	2.0	
0.5	2.0	BA
0.5	30mup	コイル
1.0	2.0	
3.18 × 0.5	30mup	コイル
0.72	2.0	BA
4.0 × 0.5	2.0	
0.5	2.0	BA
0.5	4.0	
0.5	30mup	コイル
1.0	2.0	
1.0	2.0	BA
1.0	4.0	
1.0	40mup	コイル
5.0 × 0.5	2.0	
0.5	4.0	
1.0	2.0	
1.0	4.0	
1.5	4.0	
6.0 × 0.5	2.0	
0.5	4.0	
1.0	2.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	BA
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.0	4.0	
6.35 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
2.0	4.0	
7.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
8.0 × 0.5	4.0	
0.8	4.0	
1.0	2.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
9.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
9.53 × 1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.25	4.0	
1.5	4.0	
1.65	4.0	
2.0	4.0	
10.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
3.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.2	5.5	
1.5	4.0	
1.5	5.5	
1.7	4.0	
1.7	5.5	
2.0	4.0	
2.4	4.0	
2.4	5.5	
11.0 × 0.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
11.0 × 1.0	4.0	
1.5	4.0	
12.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
1.65	4.0	
2.0	4.0	
3.0	4.0	
1.0	4.0	
12.7 × 1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
13.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.2	4.0	
2.2	5.5	
3.0	4.0	
3.0	5.5	
4.0	4.0	
14.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
15.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

## SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
15.0 × 2.0	4.0	
2.5	4.0	
3.0	4.0	
4.0	4.0	
16.0 × 0.5	4.0	
1.0	4.0	
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
3.0	4.0	
4.0	4.0	
17.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.3	4.0	
2.3	5.5	
3.2	4.0	
3.2	5.5	
4.0	4.0	
18.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
19.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.0	6.096	TB
2.6	4.0	
3.0	4.0	
4.0	4.0	
19.05 × 1.24	4.0	BA
1.65	4.0	BA
20.0 × 1.0	4.0	
1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
20.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
21.7 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
4.7	5.5	
7.5	5.5	
22.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
23.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
24.0 × 1.0	4.0	
3.0	4.0	
4.0	4.0	
25.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
25.4 × 1.2	4.0	
1.65	4.0	
2.0	6.096	TB
3.0	4.0	
27.2 × 1.2	4.0	
1.65	4.0	
1.65	5.5	

外径×肉厚 (mm)	長さ (m)	摘要
27.2 × 2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
7.8	5.5	
28.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
30.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
32.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
3.0	4.0	
4.0	4.0	
5.5	4.0	
6.0	4.0	
8.0	4.0	
33.4 × 3.34	6.096	ASTM
4.5	6.096	ASTM
34.0 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

## SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
34.0 × 3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
6.1	4.0	
9.1	5.5	
36.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
5.5	4.0	
6.0	4.0	
8.0	RANDOM	
10.0	RANDOM	
38.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
5.5	RANDOM	
6.0	4.0	
8.0	RANDOM	
10.0	RANDOM	
40.0 × 1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	RANDOM	
5.0	4.0	
7.5	RANDOM	
10.0	RANDOM	
42.7 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
42.7 × 4.9	5.5	
6.4	4.0	
6.4	5.5	
8.0	RANDOM	
10	RANDOM	
45.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	RANDOM	
6.5	RANDOM	
8.0	RANDOM	
8.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
46.0 × 10.0	RANDOM	
48.6 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	4.0	
7.1	5.5	
8.7	RANDOM	
10.0	4.0	
10.0	RANDOM	
50.0 × 4.0	RANDOM	
5.0	RANDOM	
9.0	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
50.8 × 1.5	4.0	
2.0	4.0	
3.0	4.0	
3.5	RANDOM	
4.0	4.0	
5.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
50.8 × 6.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
14.5	RANDOM	
51.0 × 13.0	RANDOM	
52.0 × 6.0	RANDOM	
9.0	RANDOM	
10.0	RANDOM	
53.0 × 4.0	RANDOM	
8.5	RANDOM	
13.5	RANDOM	
54.0 × 2.0	4.0	
4.0	RANDOM	
5.0	RANDOM	
6.0	RANDOM	
9.0	RANDOM	
10.0	RANDOM	
55.0 × 5.0	RANDOM	
56.0 × 3.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
14.0	RANDOM	
58.0 × 4.0	RANDOM	
60.0 × 14.0	RANDOM	
60.5 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	4.0	
8.7	5.5	
11.0	5.5	
15.0	5.5	
62.0 × 6.5	RANDOM	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271  
神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

## SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
62.0 × 8.0	RANDOM	ASTM
63.0 × 6.5	RANDOM	
10.0	RANDOM	
11.5	RANDOM	
12.5	RANDOM	
13.5	RANDOM	
15.5	RANDOM	
63.5 × 2.0	4.0	
3.0	4.0	
3.5	RANDOM	
4.0	4.0	
5.0	RANDOM	
10.5	RANDOM	
65.0 × 3.0	4.0	
4.0	RANDOM	
5.0	RANDOM	
8.5	RANDOM	
10.0	RANDOM	
13.0	RANDOM	
15.0	RANDOM	
18.0	RANDOM	
66.0 × 9.0	RANDOM	
11.0	RANDOM	
67.0 × 14.5	RANDOM	
68.0 × 8.0	RANDOM	
70.0 × 2.0	4.0	
3.0	4.0	
4.0	RANDOM	
5.0	RANDOM	
6.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
71.0 × 7.5	RANDOM	
13.0	RANDOM	
18.0	RANDOM	
72.0 × 9.0	RANDOM	
17.5	RANDOM	
73.0 × 5.0	RANDOM	
7.0	RANDOM	
15.8	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
75.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
76.0 × 18.0	RANDOM	
76.3 × 2.1	4.0	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
4.0	RANDOM	
5.2	4.0	
5.2	5.5	
7.0	4.0	
7.0	5.5	
9.5	4.0	
9.5	5.5	
10.0	RANDOM	
12.5	RANDOM	
14.0	5.5	
15.2	RANDOM	
78.0 × 7.5	RANDOM	
9.0	RANDOM	
16.5	RANDOM	
80.0 × 4.0	RANDOM	
5.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
82.0 × 10.0	RANDOM	
15.0	RANDOM	
83.0 × 8.5	RANDOM	
85.0 × 8.0	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
16.5	RANDOM	
20.0	RANDOM	
25.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
89.1 × 2.1	4.0	
2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.5	4.0	
5.5	5.5	
7.6	4.0	
7.6	5.5	
11.0	4.0	
11.0	5.5	
15.1	RANDOM	
90.0 × 10.0	RANDOM	
13.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
22.5	RANDOM	
25.0	RANDOM	
92.0 × 16.8	RANDOM	
95.0 × 5.0	RANDOM	
7.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
22.5	RANDOM	
25.0	RANDOM	
100.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
18.5	RANDOM	
20.0	RANDOM	
22.0	RANDOM	
26.0	RANDOM	
101.0 × 27.0	RANDOM	
101.6 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.7	4.0	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

## SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
101.6 × 5.7	5.5	
8.1	4.0	
8.1	5.5	
12.7	4.0	
12.7	5.5	
15.0	RANDOM	
20.0	RANDOM	
102.0 × 9.0	RANDOM	
12.0	RANDOM	
103.0 × 14.0	RANDOM	
104.0 × 7.0	RANDOM	
106.0 × 10.0	RANDOM	
13.0	RANDOM	
18.0	RANDOM	
21.5	RANDOM	
25.0	RANDOM	
107.0 × 7.0	RANDOM	
19.5	RANDOM	
110.0 × 10.5	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
112.0 × 11.0	RANDOM	
16.0	RANDOM	
20.5	RANDOM	
24.5	RANDOM	
114.3 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
6.0	4.0	
6.0	5.5	
8.6	4.0	
8.6	5.5	
11.1	4.0	
11.1	5.5	
13.5	4.0	
13.5	5.5	
17.2	RANDOM	
20.0	RANDOM	
116.0 × 27.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
117.0 × 19.5	RANDOM	
118.0 × 14.0	RANDOM	
19.0	RANDOM	
23.5	RANDOM	
27.5	RANDOM	
120.0 × 4.0	RANDOM	
5.0	RANDOM	
10.0	RANDOM	
13.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
122.0 × 7.0	RANDOM	
123.0 × 6.5	RANDOM	
13.0	RANDOM	
125.0 × 5.0	RANDOM	
12.5	RANDOM	
17.5	RANDOM	
22.5	RANDOM	
23.5	RANDOM	
27.5	RANDOM	
126.0 × 12.5	RANDOM	
17.5	RANDOM	
127.0 × 5.0	RANDOM	
10.0	RANDOM	
27.0	RANDOM	
130.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
27.5	RANDOM	
131.0 × 26.0	RANDOM	
132.0 × 11.0	RANDOM	
12.5	RANDOM	
13.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
21.0	RANDOM	
26.0	RANDOM	
30.5	RANDOM	
135.0 × 10.0	RANDOM	
15.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
135.0 × 20.0	RANDOM	
25.0	RANDOM	
139.8 × 2.8	RANDOM	
3.4	4.0	
3.4	5.5	
5.0	4.0	
5.0	5.5	
6.6	4.0	
6.6	5.5	
9.5	4.0	
9.5	5.5	
12.7	5.5	
12.7	RANDOM	
15.9	5.5	
15.9	RANDOM	
20.0	RANDOM	
140.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
30.0	RANDOM	
145.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
150.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
22.0	RANDOM	
23.0	RANDOM	
27.0	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
154.0 × 10.0	RANDOM	
155.0 × 15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
160.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
24.0	RANDOM	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271  
神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

## SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
160.0 × 30.0	RANDOM	
35.0	RANDOM	
165.2 × 3.4	RANDOM	
5.0	4.0	
5.0	5.5	
7.1	4.0	
7.1	5.5	
11.0	4.0	
11.0	5.5	
14.3	5.5	
14.3	RANDOM	
18.2	5.5	
18.2	RANDOM	
170.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
176.0 × 18.0	RANDOM	
180.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
27.5	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
181.0 × 10.0	RANDOM	
16.0	RANDOM	
185.0 × 28.0	RANDOM	
190.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
190.0 × 29.0	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
200.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
30.0	RANDOM	
40.0	RANDOM	
212.0 × 21.0	RANDOM	
31.0	RANDOM	
41.0	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	4.0	
812.7	5.5	
18.2	5.5	
23.0	5.5	
224.0 × 22.0	RANDOM	
32.0	RANDOM	
42.0	RANDOM	
230.0 × 20.0	RANDOM	
232.0 × 17.0	RANDOM	
235.0 × 20.0	RANDOM	
236.0 × 23.0	RANDOM	
30.0	RANDOM	
43.0	RANDOM	
240.0 × 22.5	RANDOM	
250.0 × 15.0	RANDOM	
25.0	RANDOM	
35.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
255.5 × 29.0	RANDOM	
260.0 × 29.0	RANDOM	
267.4 × 4.0	4.0	
4.0	RANDOM	
6.5	5.5	
9.3	5.5	
15.1	5.5	
21.4	5.5	
25.4	RANDOM	
28.6	RANDOM	
285.0 × 25.0	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
300.0 × 30.0	RANDOM	
40.0	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
14.3	RANDOM	
17.4	RANDOM	
25.4	RANDOM	
33.3	RANDOM	
330.0 × 30.0	RANDOM	
40.0	RANDOM	
355.6 × 11.1	RANDOM	
19.0	RANDOM	
406.4 × 12.7	RANDOM	
21.4	RANDOM	
457.2 × 19.0	RANDOM	
23.8	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)


FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-304L

Stainless steel pipes



MASUYA

## SUS-304L

外径×肉厚 (mm)	長さ (m)	摘要
6.0 × 1.0	4.0	
8.0 × 1.0	4.0	
10.0 × 1.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.7	4.0	
2.4	4.0	
12.0 × 1.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.2	4.0	
3.0	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.3	4.0	
2.3	5.0	
3.2	4.0	
3.2	5.5	
21.7 × 1.65	4.0	
2.1	4.0	
2.5	4.0	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
4.7	5.5	
27.2 × 1.65	4.0	
2.1	4.0	
2.5	4.0	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
34.0 × 1.65	4.0	
2.8	4.0	
3.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
34.0 × 3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
42.7 × 1.65	4.0	
2.8	4.0	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	5.5	
6.4	5.5	
48.3 × 3.68	5.5	ASTM
5.08	5.5	ASTM
48.6 × 1.65	4.0	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	5.5	
60.5 × 1.65	5.5	
2.8	5.5	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	5.5	
76.3 × 2.1	4.0	
3.0	5.5	
3.5	5.5	
5.2	5.5	
7.0	5.5	
9.5	5.5	
89.1 × 2.1	4.0	
3.0	5.5	
4.0	5.5	
5.5	5.5	

外径×肉厚 (mm)	長さ (m)	摘要
89.1 × 7.6	5.5	
11.0	5.5	
101.6 × 3.0	4.0	
4.0	5.5	
5.7	5.5	
8.1	5.5	
12.7	RANDOM	
114.3 × 3.0	5.5	
4.0	5.5	
6.0	5.5	
8.6	5.5	
11.1	RANDOM	
13.5	5.5	
139.8 × 3.4	RANDOM	
5.0	5.5	
6.6	5.5	
9.5	5.5	
12.7	RANDOM	
15.9	RANDOM	
165.2 × 3.4	RANDOM	
5.0	5.5	
7.1	5.5	
11.0	5.5	
14.3	RANDOM	
18.2	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	RANDOM	
12.7	RANDOM	
18.2	RANDOM	
23.0	RANDOM	
267.4 × 4.0	4.0	
6.5	RANDOM	
9.3	RANDOM	
15.1	RANDOM	
28.6	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
17.4	RANDOM	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-316

Stainless steel pipes



MASUYA

## SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
2.0 × 0.5	2.0	
3.0 × 0.5	2.0	
0.5	30mup	コイル
1.0	2.0	
3.18 × 0.5	30mup	コイル
0.72	2.0	BA
4.0 × 0.5	2.0	
0.5	2.0	BA
0.5	4.0	
0.5	30mup	コイル
1.0	2.0	
1.0	2.0	BA
1.0	4.0	
5.0 × 0.5	2.0	
1.0	2.0	
1.0	4.0	
1.5	4.0	
6.0 × 0.5	2.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
6.35 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.24	20mup	コイル
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
7.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
8.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル

外径×肉厚 (mm)	長さ (m)	摘要
8.0 × 1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
9.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
9.53 × 1.0	4.0	
1.0	4.0	BA
1.0	30mup	BA
1.25	4.0	
1.25	4.0	BA
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
10.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.7	4.0	
2.4	4.0	
11.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
12.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
12.0 × 3.0	4.0	
12.7 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
13.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.2	4.0	
2.2	5.5	
3.0	4.0	
3.0	5.5	
14.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
15.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
15.88 × 1.0	4.0	BA
16.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
17.0 × 1.0	4.0	
1.5	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.3	4.0	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271  
神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-316

Stainless steel pipes



MASUYA

## SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
17.3 × 2.3	5.5	
3.2	4.0	
3.2	5.5	
18.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
19.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.6	6.096	TB
2.0	4.0	
3.0	4.0	
19.05 × 1.24	4.0	BA
1.65	4.0	BA
20.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
21.7 × 1.65	4.0	
2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
4.7	5.5	
22.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
25.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
25.4 × 1.65	4.0	BA
2.0	4.0	
2.0	4.0	BA
2.0	6.096	TB

外径×肉厚 (mm)	長さ (m)	摘要
27.2 × 1.65	4.0	
1.65	5.5	
2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
30.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
5.0	4.0	
2.0	4.0	
32.0 × 3.0	4.0	
6.0	RANDOM	
8.0	RANDOM	
34.0 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
36.0 × 3.0	4.0	
4.0	4.0	
5.0	RANDOM	
5.5	RANDOM	
6.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
38.0 × 1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
38.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.5	RANDOM	
6.0	RANDOM	
8.0	RANDOM	
40.0 × 7.5	RANDOM	
10.0	RANDOM	
42.7 × 1.65	4.0	
1.65	5.5	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	4.0	
4.9	5.5	
6.4	4.0	
6.4	5.5	
45.0 × 6.5	RANDOM	
8.5	RANDOM	
12.5	RANDOM	
46.0 × 10.0	RANDOM	
48.6 × 1.65	4.0	
1.65	5.5	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	4.0	
7.1	5.5	
50.0 × 10.0	RANDOM	
50.8 × 1.5	4.0	
2.0	4.0	
3.0	RANDOM	
3.5	RANDOM	
4.0	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

MASUYA

# シームレスパイプ

SUS-316

Stainless steel pipes



MASUYA

## SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
50.8 × 5.0	RANDOM	
14.5	RANDOM	
51.0 × 13.0	RANDOM	
52.0 × 9.0	RANDOM	
53.0 × 8.5	RANDOM	
13.5	RANDOM	
54.0 × 9.0	RANDOM	
56.0 × 8.0	RANDOM	
10.0	RANDOM	
14.0	RANDOM	
60.0 × 14.0	RANDOM	
60.5 × 1.65	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	4.0	
8.7	5.5	
11.0	5.5	
62.0 × 8.0	RANDOM	
63.0 × 6.5	RANDOM	
11.5	RANDOM	
15.5	RANDOM	
65.0 × 10.0	RANDOM	
15.0	RANDOM	
18.0	RANDOM	
66.0 × 9.0	RANDOM	
11.0	RANDOM	
67.0 × 14.5	RANDOM	
70.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
71.0 × 7.5	RANDOM	
13.0	RANDOM	
18.0	RANDOM	
72.0 × 9.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
72.0 × 17.5	RANDOM	
73.0 × 15.8	RANDOM	
75.0 × 12.5	RANDOM	
15.0	RANDOM	
76.0 × 18.0	RANDOM	
76.3 × 2.1	4.0	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
5.2	4.0	
5.2	5.5	
7.0	4.0	
7.0	5.5	
9.5	4.0	
9.5	5.5	
78.0 × 9.0	RANDOM	
16.5	RANDOM	
80.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
83.0 × 8.5	RANDOM	
85.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
16.5	RANDOM	
20.0	RANDOM	
89.1 × 2.1	4.0	
2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.5	4.0	
5.5	5.5	
7.6	4.0	
7.6	5.5	
11.0	4.0	
11.0	5.5	
15.1	RANDOM	
90.0 × 13.5	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
90.0 × 15.0	RANDOM	
20.0	RANDOM	
92.0 × 16.8	RANDOM	
95.0 × 7.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
22.5	RANDOM	
100.0 × 10.0	RANDOM	
15.0	RANDOM	
18.5	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
101.6 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	5.5	
5.7	5.5	
8.1	4.0	
8.1	5.5	
12.7	4.0	
12.7	5.5	
103.0 × 14.0	RANDOM	
106.0 × 13.0	RANDOM	
18.0	RANDOM	
20.0	RANDOM	
107.0 × 19.5	RANDOM	
110.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
112.0 × 11.0	RANDOM	
16.0	RANDOM	
20.5	RANDOM	
24.5	RANDOM	
114.3 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
6.0	4.0	
6.0	5.5	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271  
神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-316

Stainless steel pipes



MASUYA

## SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
114.3 × 8.6	4.0	
8.6	5.5	
11.1	4.0	
13.5	4.0	
13.5	5.5	
116.0	27.0	RANDOM
117.0 × 19.5	RANDOM	
118.0 × 14.0	RANDOM	
× 19.0	RANDOM	
23.5	RANDOM	
27.5	RANDOM	
120.0	10.0	RANDOM
× 15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
123.0	13.0	RANDOM
× 12.5	RANDOM	
125.0	17.5	RANDOM
× 22.5	RANDOM	
27.0	RANDOM	
130.0	15.0	RANDOM
× 27.5	RANDOM	
131.0	26.0	RANDOM
132.0 × 11.0	RANDOM	
× 13.0	RANDOM	
21.0	RANDOM	
26.0	RANDOM	
30.5	RANDOM	
135.0	15.0	RANDOM
× 20.0	RANDOM	
25.0	RANDOM	
139.8	3.4	RANDOM
× 5.0	4.0	
5.0	5.5	
6.6	4.0	
6.6	5.5	
9.5	4.0	
9.5	5.5	
12.7	5.5	
15.9	5.5	
140.0	14.0	RANDOM
× 20.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
140.0 × 25.0	RANDOM	
30.0	RANDOM	
145.0 × 12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
150.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
22.0	RANDOM	
27.5	RANDOM	
35.0	RANDOM	
155.0 × 25.0	RANDOM	
160.0 × 15.0	RANDOM	
20.0	RANDOM	
24.0	RANDOM	
165.2 × 3.4	RANDOM	
5.0	4.0	
5.0	5.5	
7.1	4.0	
7.1	5.5	
11.0	4.0	
11.0	5.5	
14.3	5.5	
18.2	5.5	
170.0 × 15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
176.0 × 18.0	RANDOM	
180.0 × 15.0	RANDOM	
20.0	RANDOM	
27.5	RANDOM	
181.0 × 10.0	RANDOM	
16.0	RANDOM	
185.0 × 28.0	RANDOM	
190.0 × 15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
29.0	RANDOM	
200.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
200.0 × 25.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
200.0 × 30.0	RANDOM	
212.0 × 21.0	RANDOM	
31.0	RANDOM	
41.0	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	5.5	
12.7	RANDOM	
18.2	RANDOM	
23.0	RANDOM	
224.0 × 22.0	RANDOM	
32.0	RANDOM	
42.0	RANDOM	
230.0 × 20.0	RANDOM	
232.0 × 17.0	RANDOM	
235.0 × 20.0	RANDOM	
236.0 × 23.0	RANDOM	
43.0	RANDOM	
240.0 × 22.5	RANDOM	
250.0 × 25.0	RANDOM	
255.0 × 29.0	RANDOM	
260.0 × 29.0	RANDOM	
267.4 × 4.0	RANDOM	
6.5	RANDOM	
9.3	RANDOM	
15.1	RANDOM	
21.4	RANDOM	
25.4	RANDOM	
28.6	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
14.3	RANDOM	
17.4	RANDOM	
25.4	RANDOM	
33.3	RANDOM	
355.6 × 11.1	RANDOM	
19.0	RANDOM	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271  
神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-316L

Stainless steel pipes



MASUYA

## SUS-316L

外径×肉厚 (mm)	長さ (m)	摘要
3.18 × 0.72	2.0	BA
0.72	2.0	EP
0.72	30mup	コイル
4.0 × 0.05	2.0	
1.0	2.0	
1.0	4.0	
5.0 × 0.5	2.0	
1.0	4.0	
6.0 × 0.5	4.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	
2.0	4.0	
6.35 × 1.0	4.0	
1.0	4.0	BA
1.0	4.0	EP
1.0	30mup	コイル
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
2.0	4.0	
8.0 × 0.5	4.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	
2.0	4.0	
9.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
9.53 × 1.0	4.0	
1.0	4.0	BA
1.0	4.0	EP
1.0	30mup	コイル
1.25	4.0	
1.5	4.0	
10.0 × 0.5	4.0	
1.0	2.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
10.0 × 2.0	4.0	
3.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.7	4.0	
2.4	4.0	
11.0 × 1.0	4.0	
12.0 × 0.5	4.0	
1.0	4.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	
2.0	4.0	
3.0	4.0	
12.7 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.24	4.0	EP
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
13.0 × 1.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.0	5.5	
2.2	4.0	
2.2	5.5	
3.0	4.0	
3.0	5.5	
14.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
15.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
16.0 × 1.0	4.0	
1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
16.0 × 2.0	4.0	
3.0	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.0	5.5	
2.3	4.0	
2.3	5.5	
3.2	4.0	
3.2	5.5	
18.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
19.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
19.05 × 1.24	4.0	BA
1.24	4.0	EP
1.65	4.0	BA
20.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
21.7 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.1	4.0	
2.1	4.0	EP
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
22.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
25.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)


FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-316L

Stainless steel pipes



MASUYA

## SUS-316L

外径×肉厚 (mm)	長さ (m)	摘要
25.4 × 2.0	4.0	
27.2 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.1	4.0	
2.1	4.0	EP
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
30.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
32.0 × 2.0	4.0	
34.0 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	
2.8	4.0	EP
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
38.0 × 2.0	4.0	
3.0	4.0	
40.0 × 7.5	RANDOM	
10.0	RANDOM	
42.7 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
42.7 × 2.8	5.5	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	4.0	
6.4	4.0	
6.4	5.5	
10.0	RANDOM	
45.0 × 6.5	RANDOM	
48.6 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	
2.8	4.0	EP
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	4.0	
7.1	5.5	
8.7	RANDOM	
10.2	5.5	
56.0 × 8.0	RANDOM	
10.0	RANDOM	
14.0	RANDOM	
60.5 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	
2.8	4.0	EP
2.8	5.5	
3.5	4.0	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	5.5	

外径×肉厚 (mm)	長さ (m)	摘要
60.5 × 11.0	5.5	
63.0 × 11.5	RANDOM	
15.5	RANDOM	
65.0 × 10.0	RANDOM	
70.0 × 10.0	RANDOM	
71.0 × 7.5	RANDOM	
13.0	RANDOM	
75.0 × 17.5	RANDOM	
76.3 × 2.1	4.0	
2.1	4.0	ID
2.1	4.0	EP
3.0	4.0	
3.0	4.0	EP
3.0	5.5	
3.5	4.0	
3.5	5.5	
5.2	4.0	
5.2	5.5	
7.0	4.0	
7.0	5.5	
9.5	5.5	
80.0 × 8.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
85.0 × 15.0	RANDOM	
20.0	RANDOM	
89.1 × 2.1	4.0	
2.1	4.0	ID
2.1	4.0	EP
3.0	4.0	
3.0	4.0	EP
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.5	4.0	
5.5	5.5	
7.6	4.0	
7.6	5.5	
11.0	4.0	
11.0	5.5	
15.1	RANDOM	
90.0 × 13.5	RANDOM	

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# シームレスパイプ

SUS-316L

Stainless steel pipes



MASUYA

## SUS-316L

外径×肉厚 (mm)	長さ (m)	摘要
90.0 × 20.0	RANDOM	
95.0 × 12.5	RANDOM	
22.5	RANDOM	
100.0 × 15.0	RANDOM	
18.5	RANDOM	
101.6 × 3.0	4.0	
4.0	4.0	
5.7	5.5	
8.1	5.5	
12.7	4.0	
12.7	RANDOM	
106.0 × 13.0	RANDOM	
18.0	RANDOM	
21.5	RANDOM	
112.0 × 16.0	RANDOM	
114.3 × 2.1	RANDOM	
2.1	4.0	ID
2.1	4.0	EP
3.0	4.0	
3.0	4.0	EP
3.0	5.5	
4.0	4.0	
4.0	5.5	
6.0	4.0	
6.0	5.5	
8.6	4.0	
8.6	5.5	
11.1	RANDOM	
13.5	4.0	
13.5	5.0	
118.0 × 14.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
118.0 × 19.0	RANDOM	
125.0 × 12.5	RANDOM	
17.5	RANDOM	
22.5	RANDOM	
23.0	RANDOM	
27.0	RANDOM	
130.0 × 15.0	RANDOM	
132.0 × 13.0	RANDOM	
21.0	RANDOM	
26.0	RANDOM	
139.8 × 2.8	RANDOM	
3.4	RANDOM	
5.0	4.0	
5.0	5.5	
6.6	5.5	
9.5	5.5	
12.7	RANDOM	
15.9	5.5	
140.0 × 20.0	RANDOM	
150.0 × 22.0	RANDOM	
27.5	RANDOM	
160.0 × 24.0	RANDOM	
165.2 × 3.4	RANDOM	
5.0	4.0	
5.0	5.5	
7.1	4.0	
7.1	5.5	
11.0	5.5	
14.3	5.5	
18.2	5.5	
170.0 × 20.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
170.0 × 26.0	RANDOM	
180.0 × 20.0	RANDOM	
190.0 × 20.0	RANDOM	
25.0	RANDOM	
200.0 × 20.0	RANDOM	
212.0 × 41.0	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	RANDOM	
12.7	RANDOM	ID
18.2	RANDOM	EP
23.0	RANDOM	
224.0 × 42.0	RANDOM	EP
236.0 × 23.0	RANDOM	
43.0	RANDOM	
267.4 × 4.0	RANDOM	
6.5	RANDOM	
9.3	RANDOM	
15.1	RANDOM	
21.4	RANDOM	
25.4	RANDOM	
28.6	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
14.3	RANDOM	
17.4	RANDOM	
25.4	RANDOM	ID
33.3	RANDOM	EP
355.6 × 11.1	RANDOM	
19.0	RANDOM	EP

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/