

熱間圧延ステンレス鋼板

SUS-304 SUS-304L SUS-316 SUS-316L SUS-310S No.1仕上げ

stainless steel sheets

MASUYA

■ 標準在庫サイズ (mm)

1000×2000 / 1219×2438 / 1524×3048 / 1524×6096 / 2050×6100 / 3050×6100

厚さ (mm)	SUS-304	SUS-304L	SUS-316	SUS-316L	SUS-310S
3.0	○	○	○	○	○
3.5	○				
4.0	○	○	○	○	○
4.5	○				
5.0	○	○	○	○	○
6.0	○	○	○	○	○
7.0	○		○	○	
8.0	○	○	○	○	○
9.0	○	○	○	○	○
10.0	○	○	○	○	○
12.0	○	○	○	○	○
14.0	○	○	○	○	○
15.0	○	○	○	○	○
16.0	○	○	○	○	○
18.0	○	○	○	○	○
19.0	○	○	○	○	○
20.0	○	○	○	○	○
22.0	○	○	○	○	○
25.0	○	○	○	○	○
28.0	○	○	○	○	○
30.0	○	○	○	○	○
32.0	○	○	○	○	○
35.0	○	○	○	○	○
38.0	○	○	○	○	
40.0	○	○	○	○	○
45.0	○	○	○	○	○
50.0	○	○	○	○	○
55.0	○		○	○	○
60.0	○	○	○	○	○
65.0	○		○	○	
70.0	○	○	○	○	
75.0	○		○	○	
80.0	○		○	○	
85.0	○		○	○	
90.0	○		○	○	
95.0	○				
100.0	○		○	○	

増屋株式会社
MASUYA CO.,LTD.

〒651-2271
神戸市西区高塚台 3-2-11

TEL 078-991-2100 (代表)

FAX 078-991-2150 (代表)

www.masuyasus.co.jp/

上記以外の材質・サイズ等につきましてはお問合せください。

冷間圧延ステンレス鋼板

SUS-304 SUS-304L SUS-316 SUS-316L SUS-310S 2B仕上げ

stainless steel sheets



■ 標準在庫サイズ (mm)

1000×2000／1219×2438／1524×3048／1524×6096／2000×6000

厚さ (mm)	SUS-304	SUS-304L	SUS-316	SUS-316L	SUS-310S
0.4	○	○			
0.5	○	○	○	○	○
0.6	○	○	○	○	
0.7	○				
0.8	○	○	○	○	○
1.0	○	○	○	○	○
1.2	○	○	○	○	○
1.5	○	○	○	○	○
2.0	○	○	○	○	○
2.5	○	○	○	○	
3.0	○	○	○	○	○
3.5	○				
4.0	○	○	○	○	
4.5	○				
5.0	○		○	○	
6.0	○	○	○	○	

上記以外の材質・サイズ等につきましてはお問合せください。

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

ステンレス丸棒

SUS-304 SUS-304L SUS-316 SUS-316L ピーリング仕上げ／酸洗仕上げ／ミガキ仕上げ

Stainless steel bars

MASUYA

径 (mm)	SUS-304			SUS-304L			SUS-316			SUS-316L		
	ピーリング 仕上げ	酸洗 仕上げ	ミガキ	ピーリング 仕上げ	酸洗 仕上げ	ミガキ	ピーリング 仕上げ	酸洗 仕上げ	ミガキ	ピーリング 仕上げ	酸洗 仕上げ	ミガキ
2									○			
3			○						○			
4			○						○			○
5			○						○			○
6			○					○	○		○	○
7			○						○			○
8		○	○		○			○	○		○	○
9		○	○		○			○	○		○	○
10		○	○		○			○	○		○	○
11			○					○	○			
12		○	○					○	○		○	○
13		○	○		○			○	○		○	
14		○	○					○	○			
15		○	○						○			○
16	○	○	○	○			○	○	○	○	○	○
17	○		○				○		○			
18	○		○				○		○	○		○
19	○	○	○	○			○		○	○		○
20	○	○	○	○			○		○	○		○
22	○		○	○			○		○	○		○
25	○		○	○			○		○	○		○
26	○		○				○		○			
28	○		○				○		○	○		
30	○		○	○			○		○	○		○
32	○		○	○			○		○	○		
34	○		○				○					
35	○		○	○			○		○	○		○
36	○						○			○		
38	○		○	○			○		○	○		
40	○		○	○			○		○	○		○
42	○		○				○		○	○		
45	○		○	○			○		○	○		○
50	○		○	○			○		○	○		○
55	○		○				○		○	○		
60	○		○	○			○		○	○		
65	○		○				○		○	○		
70	○		○	○			○		○	○		

増屋株式会社
MASUYA CO.,LTD.

〒651-2271
神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

ステンレス丸棒

SUS-304 SUS-304L SUS-316 SUS-316L ピーリング仕上げ／酸洗仕上げ／ミガキ仕上げ

Stainless steel bars



径 (mm)	SUS-304			SUS-304L			SUS-316			SUS-316L		
	ピーリング 仕上げ	酸洗 仕上げ	ミガキ	ピーリング 仕上げ	酸洗 仕上げ	ミガキ	ピーリング 仕上げ	酸洗 仕上げ	ミガキ	ピーリング 仕上げ	酸洗 仕上げ	ミガキ
75	○		○				○			○		
80	○		○	○			○			○		
85	○		○				○			○		
90	○		○	○			○			○		
95	○		○				○			○		
100	○		○	○			○			○		
110	○			○			○			○		
120	○			○			○			○		
130	○			○			○			○		
140	○			○			○			○		
150	○			○			○			○		
160	○			○			○			○		
170	○			○			○			○		
180	○			○			○			○		
190	○			○			○			○		
200	○			○			○			○		
210	○						○			○		
220	○						○			○		
230	○						○			○		
240	○						○			○		
250	○						○			○		
260	○						○			○		
270	○						○			○		
280	○						○			○		
290	○						○			○		
300	○						○			○		

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

六角棒

SUS-304 スキンパス仕上げ／酸洗仕上げ

Stainless steel bars



SUS-304 ■ スキンパス仕上げ (長さ3000～4000mm)

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
5	0.17	−0.12
6	0.25	−0.12
7	0.34	−0.15
8	0.44	−0.15
10	0.69	−0.15
12	0.99	−0.18
13	1.16	−0.18
14	1.35	−0.18
17	1.98	−0.18
19	2.48	−0.21
21	3.03	−0.21
22	3.32	−0.21
23	3.63	−0.21
24	3.96	−0.21

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
26	4.64	−0.21
27	5.01	−0.21
29	5.78	−0.21
30	6.18	−0.21
32	7.03	−0.25
35	8.41	−0.25
36	8.90	−0.25
38	9.92	−0.25
41	11.5	−0.25
46	14.5	−0.25
50	17.2	−0.25
54	20.0	−0.30
55	20.8	−0.30

SUS-304 ■ 酸洗仕上げ (長さ3000～4000mm)

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
58	23.1	−0.46
60	24.7	−0.46
63	27.0	−0.46
65	29.0	−0.46

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
70	33.7	−0.46
75	38.6	−0.46
80	44.0	−0.54

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100 (代表)

FAX 078-991-2150 (代表)

www.masuyasus.co.jp/

六角棒

SUS-316 スキンパス仕上げ

Stainless steel bars



SUS-316 ■ スキンパス仕上げ (長さ3000~4000mm)

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
8	0.44	-0.15
10	0.69	-0.15
12	1.00	-0.18
13	1.17	-0.18
14	1.35	-0.18
17	2.00	-0.18
19	2.49	-0.21
21	3.05	-0.21
22	3.34	-0.21
23	3.66	-0.21
24	3.98	-0.21
26	4.67	-0.21

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
27	5.04	-0.21
29	5.81	-0.21
30	6.22	-0.21
32	7.08	-0.25
35	8.47	-0.25
36	8.96	-0.25
38	9.98	-0.25
41	11.6	-0.25
46	14.6	-0.25
50	17.3	-0.25
54	20.2	-0.30
55	20.9	-0.30

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100 (代表)

FAX 078-991-2150 (代表)

www.masuyasus.co.jp/

六角棒

SUS-316L スキンパス仕上げ

Stainless steel bars



MASUYA

SUS-316L ■ スキンパス仕上げ (長さ3000~4000mm)

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
10	0.69	-0.15
13	1.17	-0.18
14	1.35	-0.18
17	2.00	-0.18
19	2.49	-0.21
21	3.05	-0.21
22	3.34	-0.21
23	3.66	-0.21
24	3.98	-0.21
26	4.67	-0.21

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
27	5.04	-0.21
29	5.81	-0.21
30	6.22	-0.21
32	7.08	-0.25
35	8.47	-0.25
36	8.96	-0.25
38	9.98	-0.25
41	11.6	-0.25
46	14.6	-0.25

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100 (代表)

FAX 078-991-2150 (代表)

www.masuyasus.co.jp/

六角棒

SUS-303 スキンパス仕上げ

Stainless steel bars



SUS-303 ■ スキンパス仕上げ (長さ3000~4000mm)

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
8	0.44	-0.15
10	0.69	-0.15
12	0.99	-0.18
13	1.16	-0.18
14	1.35	-0.18
17	1.98	-0.18
19	2.48	-0.21
21	3.03	-0.21
22	3.32	-0.21
23	3.63	-0.21
24	3.96	-0.21
26	4.64	-0.21

対 辺 (mm)	重 量 (kg/m)	寸法公差 h12(+0) (mm)
27	5.01	-0.21
29	5.78	-0.21
30	6.18	-0.21
32	7.03	-0.25
35	8.41	-0.25
36	8.90	-0.25
38	9.92	-0.25
41	11.5	-0.25
46	14.5	-0.25
50	17.2	-0.25
54	20.0	-0.30

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100 (代表)

FAX 078-991-2150 (代表)

www.masuyasus.co.jp/

ホットフラットバー

SUS-304

Stainless steel sections

MASUYA

SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
3 × 15	1.43
19	1.81
20	1.90
25	2.38
30	2.86
32	3.04
35	3.33
38	3.62
40	3.81
45	4.28
50	4.76
60	5.72
65	6.20
4 × 15	1.90
16	2.03
19	2.41
20	2.54
22	2.79
25	3.17
30	3.81
32	4.08
35	4.44
38	4.84
40	5.08
45	5.72
50	6.36
60	7.60
65	8.24
75	9.52
5 × 15	2.38
19	3.01
20	3.17
22	3.49
25	3.96
30	4.76
32	5.08
35	5.56
38	6.04
40	6.36

厚さ×幅 (mm)	重量 (kg/本)
5 × 45	7.12
50	7.92
60	9.52
65	10.30
75	11.90
90	14.30
100	15.80
6 × 15	2.86
19	3.62
20	3.81
22	4.20
25	4.76
30	5.72
32	6.08
35	6.68
38	7.24
40	7.60
45	8.56
48	9.12
50	9.52
60	11.4
65	12.4
70	13.3
75	14.3
90	17.1
100	19.0
7 × 20	4.44
8 × 16	4.08
25	6.36
30	7.60
32	8.12
35	8.88
38	9.64
40	10.2
45	11.4
50	12.7
65	16.5
75	19.0
100	25.4

寸法 (mm)	重量 (kg/本)
9 × 13	3.71
15	4.28
16	4.56
19	5.44
20	5.72
22	6.28
25	7.12
30	8.56
32	9.12
35	10.0
38	10.8
40	11.4
45	12.8
50	14.3
55	15.7
60	17.1
65	18.6
75	21.4
90	25.7
100	28.6
125	35.7
150	42.8
200	57.2
250	71.2
300	85.6
10 × 15	4.76
19	6.04
20	6.36
25	7.92
30	9.52
32	10.2
35	11.1
38	12.0
40	12.7
45	14.3
50	15.8
60	19.0
65	20.6
75	23.8

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

ホットフラットバー

SUS-304

Stainless steel sections



SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
10 × 100	31.7
125	39.6
150	47.6
200	63.6
250	79.2
300	95.2
12 × 15	5.72
19	7.24
20	7.60
25	9.52
30	11.4
32	12.2
35	13.3
38	14.5
40	15.2
45	17.1
50	19.0
65	24.8
70	26.6
75	28.6
90	34.2
100	38.1
125	47.6
22 × 100	69.6
125	87.2
150	105
200	140
250	174
300	209

寸法 (mm)	重量 (kg/本)
25 × 32	25.4
38	30.1
40	31.7
45	35.7
50	39.6
60	47.6
65	51.6
75	59.6
100	79.2
125	99.2
150	119
200	158
250	198
300	238
30 × 50	47.6
55	52.4
65	62.0
75	71.2
100	95.2
125	119
150	143
200	190
250	238
300	286
35 × 50	55.6
65	72.0
75	83.2
100	111
125	139

寸法 (mm)	重量 (kg/本)
35 × 150	166
40 × 50	63.6
65	82.4
75	95.2
100	127
125	158
150	190
50 × 65	103
75	119
100	158
125	198
150	238
60 × 75	143
100	190
125	238
150	286
65 × 75	155
70 × 100	222
125	278
150	333
80 × 100	254
125	317
150	381
90 × 125	357
150	428
100 × 125	396
150	476

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

ホット四角棒

SUS-304

Stainless steel sections

MASUYA

SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
10 × 10	3.17
12 × 12	4.56
13 × 13	5.36
14 × 14	6.20
15 × 15	7.12
16 × 16	8.12
19 × 19	11.4
20 × 20	12.7
22 × 22	15.4

寸法 (mm)	重量 (kg/本)
25 × 25	19.8
28 × 28	24.9
30 × 30	28.6
32 × 32	32.5
36 × 36	41.2
38 × 38	45.8
40 × 40	50.8
42 × 42	56.0
45 × 45	64.4

寸法 (mm)	重量 (kg/本)
50 × 50	79.2
55 × 55	96
60 × 60	114
65 × 65	134
70 × 70	156
75 × 75	178
80 × 80	203
90 × 90	257
100 × 100	317

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

ホットフラットバー・角棒

SUS-316

Stainless steel sections



SUS-316 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
3 × 20	1.92
25	2.39
30	2.87
32	3.06
38	3.64
40	3.83
50	4.80
4 × 25	3.19
30	3.83
40	5.12
50	6.40
5 × 20	3.19
25	3.99
30	4.80
32	5.12
38	6.08
40	6.40
50	8.00
6 × 25	4.80
30	5.76
32	6.12
38	7.28
40	7.68

寸法 (mm)	重量 (kg/本)
6 × 50	9.56
65	12.4
75	14.4
100	19.2
9 × 25	7.2
30	8.6
32	9.2
38	10.9
50	14.4
65	18.7
75	21.6
90	25.8
100	28.7
10 × 50	16.0
100	31.9
12 × 25	9.6
32	12.2
38	14.6
50	19.2
65	24.9
75	28.7
100	38.3
16 × 25	12.8

寸法 (mm)	重量 (kg/本)
16 × 32	16.4
38	19.4
50	25.5
65	33.2
75	38.3
100	51.2
19 × 50	30.3
65	39.4
75	45.6
100	60.8
19	11.5
20 × 20	12.8
22 × 22	15.4
25 × 25	20.0
30 × 30	28.7
32 × 32	32.7
36 × 36	41.4
38 × 38	46.0
40 × 40	51.2
42 × 42	56.4
45 × 15	64.8
50 × 50	80.0

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

ホットフラットバー・角棒

SUS-316L

Stainless steel sections

MASUYA

SUS-316L (長さ4000mm)

寸法 (mm)	重量 (kg/本)
3 × 20	1.92
25	2.39
30	2.87
32	3.06
38	3.64
40	3.83
50	4.80
4 × 25	3.19
30	3.83
40	5.12
50	6.40
5 × 20	3.19
25	3.99
30	4.80
32	5.12
38	6.08
40	6.40
50	8.00
6 × 25	4.80
30	5.76
32	6.12
38	7.28
40	7.68

寸法 (mm)	重量 (kg/本)
6 × 50	9.56
65	12.4
75	14.4
100	19.2
9 × 25	7.2
30	8.6
32	9.2
38	10.9
50	14.4
65	18.7
75	21.6
90	25.8
100	28.7
10 × 50	16.0
100	31.9
12 × 25	9.56
32	12.2
38	14.6
50	19.2
65	24.9
75	28.7
100	38.3
16 × 25	12.8

寸法 (mm)	重量 (kg/本)
16 × 32	16.4
38	19.4
50	25.5
65	33.2
75	38.3
100	51.2
19 × 50	30.3
65	39.4
75	45.6
100	60.8
19	11.5
20 × 20	12.8
22 × 22	15.4
25 × 25	20.0
30 × 30	28.7
32 × 32	32.7
36 × 36	41.4
38 × 38	45.8
40 × 40	51.2
42 × 42	56.4
45 × 45	64.8
50 × 50	80.0

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

コールドフラットバー

SUS-304

Stainless steel sections

MASUYA

SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
2 × 10	0.636
12	0.760
15	0.952
20	1.27
25	1.59
30	1.90
32	2.03
38	2.41
40	2.54
45	2.86
50	3.17
3 × 6	0.568
7	0.668
8	0.760
9	0.856
10	0.952
12	1.14
13	1.24
15	1.43
16	1.52
19	1.81
20	1.90
22	2.09
25	2.38
30	2.86
32	3.04
35	3.33
38	3.62
40	3.81
42	4.00
45	4.28
48	4.56
50	4.76
60	5.72
65	6.20
75	7.12
90	8.56
100	9.52
110	10.5
120	11.4
125	11.9

寸法 (mm)	重量 (kg/本)
3 × 130	12.4
140	13.3
150	14.3
4 × 9	1.14
10	1.27
11	1.40
12	1.52
13	1.65
15	1.90
16	2.03
17	2.16
19	2.41
20	2.54
22	2.79
25	3.17
30	3.81
32	4.08
35	4.44
38	4.84
40	5.08
45	5.72
50	6.36
60	7.60
65	8.24
75	9.52
90	11.40
100	12.70
5 × 8	1.27
9	1.43
10	1.59
12	1.90
13	2.06
15	2.38
16	2.54
19	3.01
20	3.17
22	3.49
25	3.96
30	4.76
32	5.08
34	5.40

寸法 (mm)	重量 (kg/本)
5 × 35	5.56
38	6.04
40	6.36
50	7.92
60	9.52
65	10.3
75	11.9
90	14.3
100	15.8
130	20.6
150	23.8
6 × 9	1.71
10	1.90
12	2.28
13	2.48
15	2.86
16	3.04
18	3.42
19	3.62
20	3.81
22	4.20
25	4.76
30	5.72
32	6.08
35	6.68
38	7.24
40	7.60
42	8.00
45	8.56
48	9.12
50	9.52
60	11.4
65	12.4
70	13.3
75	14.3
90	17.1
100	19.0
110	20.9
120	22.8
125	23.8
130	24.8

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

コールドフラットバー

SUS-304

Stainless steel sections

MASUYA

SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
6 × 140	26.6
150	28.6
8 × 10	2.54
16	4.08
32	8.12
38	9.64
50	12.7
9 × 13	3.71
15	4.28
16	4.56
19	5.44
20	5.72
22	6.28
25	7.12
30	8.56
32	9.12
35	10.0
38	10.8
40	11.4
45	12.8
50	14.3
60	17.1
65	18.6
75	21.4
90	25.7
100	28.6
125	35.7
150	42.8
200	57.2
250	71.2
300	85.6
10 × 15	4.76
19	6.04
20	6.36
25	7.92
30	9.52
32	10.2
38	12.0
40	12.7
50	15.8

寸法 (mm)	重量 (kg/本)
10 × 65	20.6
75	23.8
100	31.7
125	39.6
150	47.6
200	63.6
250	79.2
12 × 14	5.32
16	6.08
19	7.24
20	7.60
25	9.52
30	11.4
32	12.2
35	13.3
38	14.5
40	15.2
50	19.0
65	24.8
75	28.6
90	34.2
100	38.1
125	47.6
150	57.2
200	76.0
250	95.2
300	114
16 × 19	9.64
20	10.2
25	12.7
32	16.2
38	19.3
40	20.3
50	25.4
65	33.0
75	38.1
100	50.8
125	63.6
150	76.0
200	102

寸法 (mm)	重量 (kg/本)
16 × 250	127
300	152
19 × 25	15.1
32	19.3
38	22.9
50	30.1
65	39.2
75	45.2
100	60.4
125	75.2
150	90.4
200	120
250	151
300	181
22 × 32	22.3
38	26.5
50	34.9
65	45.2
75	52.4
100	69.6
25 × 32	25.4
38	30.1
50	39.6
65	51.6
75	59.6
100	79.2
125	99.2
150	119
200	158
30 × 50	47.6
55	52.4
65	62.0
75	71.2
100	95.2
35 × 50	55.6
65	72.0
75	83.2
100	111

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

コールド・四角棒

SUS-304

Stainless steel sections

MASUYA

SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
4 × 4	0.508
5 × 5	0.792
6 × 6	1.14
7 × 7	1.56
8 × 8	2.03
9 × 9	2.57
10 × 10	3.17
12 × 12	4.56
13 × 13	5.36
14 × 14	6.20

寸法 (mm)	重量 (kg/本)
15 × 15	7.12
16 × 16	8.12
19 × 19	11.4
20 × 20	12.7
22 × 22	15.4
25 × 25	19.8
26 × 26	21.4
28 × 28	24.9
30 × 30	28.6
32 × 32	32.5

寸法 (mm)	重量 (kg/本)
36 × 36	41.2
38 × 38	46.0
40 × 40	50.8
45 × 45	64.4
50 × 50	79.2
55 × 55	96.0
60 × 60	114
65 × 65	134

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

アングル

SUS-304

SUS-316

SUS-316L

Stainless steel sections



SUS-304

寸法 (mm)	重量(kg/本)	
	長さ4000mm	長さ6000mm
3 × 20 × 20	3.58	
25 × 25	4.52	
30 × 30	5.48	8.22
35 × 35		9.66
40 × 40	7.40	11.1
45 × 45		12.8
50 × 50	9.48	14.2
4 × 30 × 30		10.6
35 × 35	8.40	12.6
40 × 40	9.64	14.5
45 × 45		16.6
50 × 50	12.4	18.5
55 × 55		20.4
5 × 30 × 30		13.1
35 × 35		15.5
40 × 40	11.9	17.9
45 × 45		20.5
50 × 50	15.2	22.9
60 × 60		27.6
65 × 65		30.3
70 × 70		32.7
75 × 75		35.0
6 × 30 × 30		15.2
35 × 35		18.2
40 × 40	14.0	21.0
45 × 45		24.1
50 × 50	17.9	26.9
55 × 55		29.8
60 × 60		32.6
65 × 65	23.9	35.8
70 × 70		38.6
75 × 75	27.7	41.5
80 × 80		44.4
90 × 90		50.2
100 × 100	37.3	55.9
7 × 70 × 70		44.5

寸法 (mm)	重量(kg/本)	
	長さ4000mm	長さ6000mm
8 × 50 × 50		34.7
60 × 60		42.3
65 × 65		46.4
70 × 70		50.2
75 × 75		54.1
80 × 80		57.8
90 × 90		66.0
100 × 100	48.8	73.2
9 × 50 × 50	25.8	38.6
60 × 60		47.2
65 × 65		51.8
70 × 70		56.1
75 × 75	40.4	60.6
80 × 80		64.8
90 × 90	49.2	73.8
100 × 100		82.2
125 × 125		103
150 × 150		125
10 × 50 × 50		42.5
60 × 60		52.1
65 × 65		57.1
70 × 70		61.8
75 × 75		66.6
80 × 80		70.8
90 × 90		81.0
100 × 100	60.4	90.6
12 × 75 × 75		78.6
80 × 80		84.0
90 × 90		96.0
100 × 100		107
125 × 125		136
130 × 130		142
150 × 150		165
15 × 125 × 125		167
150 × 150		203

SUS-316

SUS-316L

寸法 (mm)	重量(kg/本)	
	長さ4000mm	長さ6000mm
3 × 20 × 20	3.60	
25 × 25	4.56	
30 × 30		8.28
40 × 40		11.2
4 × 50 × 50		18.7
5 × 40 × 40		18.0

寸法 (mm)	重量(kg/本)	
	長さ4000mm	長さ6000mm
5 × 50 × 50		23.0
6 × 50 × 50		27.0
65 × 65		36.1
75 × 75		41.8
9 × 75 × 75		60.6
10 × 100 × 100		91.2

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

チャンネル(熱間圧延品)

SUS-304

SUS-316

SUS-316L

Stainless steel sections

MASUYA

SUS-304 (長さ6000mm)

寸法 (mm)	重量 (kg/本)
3 × 20 × 40	10.8
25 × 50	13.7
40 × 80	22.3
50 × 100	28.5
4 × 50 × 100	37.2
5 × 40 × 80	35.9
50 × 100	45.9
6 × 50 × 100	54.1

寸法 (mm)	重量 (kg/本)
6 × 60 × 120	65.4
65 × 130	72.0
75 × 150	83.4
100 × 200	112
8 × 100 × 200	148
9 × 75 × 150	122
10 × 100 × 200	182

SUS-316 SUS-316L (長さ6000mm)

寸法 (mm)	重量 (kg/本)
4 × 50 × 100	37.4
5 × 40 × 80	36.1
50 × 100	46.2
6 × 50 × 100	54.4

寸法 (mm)	重量 (kg/本)
6 × 65 × 130	72.6
75 × 150	84.0
9 × 75 × 150	122
10 × 100 × 200	183

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

圧延H形鋼／溶接H形鋼

SUS-304

Stainless steel sections

MASUYA

圧延H形鋼

SUS-304 (長さ6000mm)

寸法(H×B×T ₁ ×T ₂) (mm)	重量 (kg/本)
100 × 100 × 6 × 8	103
125 × 125 × 6.5 × 9	143
148 × 100 × 6 × 9	125
150 × 150 × 7 × 10	188

寸法(H×B×T ₁ ×T ₂) (mm)	重量 (kg/本)
200 × 100 × 5.5 × 8	127
200 × 8 × 12	302
250 × 250 × 9 × 14	435

溶接H形鋼

SUS-304 (長さ6000mm)

寸法(H×B×T ₁ ×T ₂) (mm)	重量 (kg/本)
75 × 75 × 5 × 8	71.4
100 × 100 × 6 × 8	100
125 × 125 × 7 × 9	143
148 × 100 × 6 × 9	124
150 × 150 × 8 × 10	192

寸法(H×B×T ₁ ×T ₂) (mm)	重量 (kg/本)
200 × 100 × 6 × 8	128
200 × 8 × 12	295
250 × 125 × 6 × 9	173
250 × 250 × 9 × 14	428
300 × 300 × 10 × 10	584

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
2.0 × 0.5	2.0	
2.5 × 0.5	2.0	
3.0 × 0.5	2.0	
0.5	2.0	BA
0.5	30mup	コイル
1.0	2.0	
3.18 × 0.5	30mup	コイル
0.72	2.0	BA
4.0 × 0.5	2.0	
0.5	2.0	BA
0.5	4.0	
0.5	30mup	コイル
1.0	2.0	
1.0	2.0	BA
1.0	4.0	
1.0	40mup	コイル
5.0 × 0.5	2.0	
0.5	4.0	
1.0	2.0	
1.0	4.0	
1.5	4.0	
6.0 × 0.5	2.0	
0.5	4.0	
1.0	2.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	BA
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.0	4.0	
6.35 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
2.0	4.0	
7.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
8.0 × 0.5	4.0	
0.8	4.0	
1.0	2.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
9.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
9.53 × 1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.25	4.0	
1.5	4.0	
1.65	4.0	
2.0	4.0	
10.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
3.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.2	5.5	
1.5	4.0	
1.5	5.5	
1.7	4.0	
1.7	5.5	
2.0	4.0	
2.4	4.0	
2.4	5.5	
11.0 × 0.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
11.0 × 1.0	4.0	
1.5	4.0	
12.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
1.65	4.0	
2.0	4.0	
3.0	4.0	
1.0	4.0	
12.7 × 1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
13.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.2	4.0	
2.2	5.5	
3.0	4.0	
3.0	5.5	
4.0	4.0	
14.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
15.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
15.0 × 2.0	4.0	
2.5	4.0	
3.0	4.0	
4.0	4.0	
16.0 × 0.5	4.0	
1.0	4.0	
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
3.0	4.0	
4.0	4.0	
17.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.3	4.0	
2.3	5.5	
3.2	4.0	
3.2	5.5	
4.0	4.0	
18.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
19.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.0	6.096	TB
2.6	4.0	
3.0	4.0	
4.0	4.0	
19.05 × 1.24	4.0	BA
1.65	4.0	BA
20.0 × 1.0	4.0	
1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
20.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
21.7 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
4.7	5.5	
7.5	5.5	
22.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
23.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
24.0 × 1.0	4.0	
3.0	4.0	
4.0	4.0	
25.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
25.4 × 1.2	4.0	
1.65	4.0	
2.0	6.096	TB
3.0	4.0	
27.2 × 1.2	4.0	
1.65	4.0	
1.65	5.5	

外径×肉厚 (mm)	長さ (m)	摘要
27.2 × 2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
7.8	5.5	
28.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
30.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
32.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
3.0	4.0	
4.0	4.0	
5.5	4.0	
6.0	4.0	
8.0	4.0	
33.4 × 3.34	6.096	ASTM
4.5	6.096	ASTM
34.0 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-304

Stainless steel pipes

MASUYA

SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
34.0 × 3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
9.1	4.0	
9.1	5.5	
36.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	4.0	
5.5	4.0	
6.0	4.0	
8.0	RANDOM	
10.0	RANDOM	
38.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	4.0	
5.5	RANDOM	
6.0	4.0	
8.0	RANDOM	
10.0	RANDOM	
40.0 × 1.5	4.0	
2.0	4.0	
3.0	4.0	
4.0	RANDOM	
5.0	4.0	
7.5	RANDOM	
10.0	RANDOM	
42.7 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
42.7 × 4.9	5.5	
6.4	4.0	
6.4	5.5	
8.0	RANDOM	
10	RANDOM	
45.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.0	RANDOM	
6.5	RANDOM	
8.0	RANDOM	
8.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
46.0 × 10.0	RANDOM	
48.6 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	4.0	
7.1	5.5	
8.7	RANDOM	
10.0	4.0	
10.0	RANDOM	
50.0 × 4.0	RANDOM	
5.0	RANDOM	
9.0	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
50.8 × 1.5	4.0	
2.0	4.0	
3.0	4.0	
3.5	RANDOM	
4.0	4.0	
5.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
50.8 × 6.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
14.5	RANDOM	
51.0 × 13.0	RANDOM	
52.0 × 6.0	RANDOM	
9.0	RANDOM	
10.0	RANDOM	
53.0 × 4.0	RANDOM	
8.5	RANDOM	
13.5	RANDOM	
54.0 × 2.0	4.0	
4.0	RANDOM	
5.0	RANDOM	
6.0	RANDOM	
9.0	RANDOM	
10.0	RANDOM	
55.0 × 5.0	RANDOM	
56.0 × 3.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
14.0	RANDOM	
58.0 × 4.0	RANDOM	
60.0 × 14.0	RANDOM	
60.5 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	4.0	
8.7	5.5	
11.0	5.5	
15.0	5.5	
62.0 × 6.5	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
62.0 × 8.0	RANDOM	ASTM
63.0 × 6.5	RANDOM	
10.0	RANDOM	
11.5	RANDOM	
12.5	RANDOM	
13.5	RANDOM	
15.5	RANDOM	
63.5 × 2.0	4.0	
3.0	4.0	
3.5	RANDOM	
4.0	4.0	
5.0	RANDOM	
10.5	RANDOM	
65.0 × 3.0	4.0	
4.0	RANDOM	
5.0	RANDOM	
8.5	RANDOM	
10.0	RANDOM	
13.0	RANDOM	
15.0	RANDOM	
18.0	RANDOM	
66.0 × 9.0	RANDOM	
11.0	RANDOM	
67.0 × 14.5	RANDOM	
68.0 × 8.0	RANDOM	
70.0 × 2.0	4.0	
3.0	4.0	
4.0	RANDOM	
5.0	RANDOM	
6.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
71.0 × 7.5	RANDOM	
13.0	RANDOM	
18.0	RANDOM	
72.0 × 9.0	RANDOM	
17.5	RANDOM	
73.0 × 5.0	RANDOM	
7.0	RANDOM	
15.8	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
75.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
76.0 × 18.0	RANDOM	
76.3 × 2.1	4.0	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
4.0	RANDOM	
5.2	4.0	
5.2	5.5	
7.0	4.0	
7.0	5.5	
9.5	4.0	
9.5	5.5	
10.0	RANDOM	
12.5	RANDOM	
14.0	5.5	
15.2	RANDOM	
78.0 × 7.5	RANDOM	
9.0	RANDOM	
16.5	RANDOM	
80.0 × 4.0	RANDOM	
5.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
82.0 × 10.0	RANDOM	
15.0	RANDOM	
83.0 × 8.5	RANDOM	
85.0 × 8.0	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
16.5	RANDOM	
20.0	RANDOM	
25.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
89.1 × 2.1	4.0	
2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.5	4.0	
5.5	5.5	
7.6	4.0	
7.6	5.5	
11.0	4.0	
11.0	5.5	
15.1	RANDOM	
90.0 × 10.0	RANDOM	
13.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
22.5	RANDOM	
25.0	RANDOM	
92.0 × 16.8	RANDOM	
95.0 × 5.0	RANDOM	
7.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
22.5	RANDOM	
25.0	RANDOM	
100.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
18.5	RANDOM	
20.0	RANDOM	
22.0	RANDOM	
26.0	RANDOM	
101.0 × 27.0	RANDOM	
101.6 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.7	4.0	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
101.6 × 5.7	5.5	
8.1	4.0	
8.1	5.5	
12.7	4.0	
12.7	5.5	
15.0	RANDOM	
20.0	RANDOM	
102.0 × 9.0	RANDOM	
12.0	RANDOM	
103.0 × 14.0	RANDOM	
104.0 × 7.0	RANDOM	
106.0 × 10.0	RANDOM	
13.0	RANDOM	
18.0	RANDOM	
21.5	RANDOM	
25.0	RANDOM	
107.0 × 7.0	RANDOM	
19.5	RANDOM	
110.0 × 10.5	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
112.0 × 11.0	RANDOM	
16.0	RANDOM	
20.5	RANDOM	
24.5	RANDOM	
114.3 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
6.0	4.0	
6.0	5.5	
8.6	4.0	
8.6	5.5	
11.1	4.0	
11.1	5.5	
13.5	4.0	
13.5	5.5	
17.2	RANDOM	
20.0	RANDOM	
116.0 × 27.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
117.0 × 19.5	RANDOM	
118.0 × 14.0	RANDOM	
19.0	RANDOM	
23.5	RANDOM	
27.5	RANDOM	
120.0 × 4.0	RANDOM	
5.0	RANDOM	
10.0	RANDOM	
13.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
122.0 × 7.0	RANDOM	
123.0 × 6.5	RANDOM	
13.0	RANDOM	
125.0 × 5.0	RANDOM	
12.5	RANDOM	
17.5	RANDOM	
22.5	RANDOM	
23.5	RANDOM	
27.5	RANDOM	
126.0 × 12.5	RANDOM	
17.5	RANDOM	
127.0 × 5.0	RANDOM	
10.0	RANDOM	
27.0	RANDOM	
130.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
27.5	RANDOM	
131.0 × 26.0	RANDOM	
132.0 × 11.0	RANDOM	
12.5	RANDOM	
13.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
21.0	RANDOM	
26.0	RANDOM	
30.5	RANDOM	
135.0 × 10.0	RANDOM	
15.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
135.0 × 20.0	RANDOM	
25.0	RANDOM	
139.8 × 2.8	RANDOM	
3.4	4.0	
3.4	5.5	
5.0	4.0	
5.0	5.5	
6.6	4.0	
6.6	5.5	
9.5	4.0	
9.5	5.5	
12.7	5.5	
12.7	RANDOM	
15.9	5.5	
15.9	RANDOM	
20.0	RANDOM	
140.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
30.0	RANDOM	
145.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
150.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
22.0	RANDOM	
23.0	RANDOM	
27.0	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
154.0 × 10.0	RANDOM	
155.0 × 15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
160.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
24.0	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-304

Stainless steel pipes



MASUYA

SUS-304

外径×肉厚 (mm)	長さ (m)	摘要
160.0 × 30.0	RANDOM	
35.0	RANDOM	
165.2 × 3.4	RANDOM	
5.0	4.0	
5.0	5.5	
7.1	4.0	
7.1	5.5	
11.0	4.0	
11.0	5.5	
14.3	5.5	
14.3	RANDOM	
18.2	5.5	
18.2	RANDOM	
170.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
176.0 × 18.0	RANDOM	
180.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
27.5	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
181.0 × 10.0	RANDOM	
16.0	RANDOM	
185.0 × 28.0	RANDOM	
190.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
190.0 × 29.0	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
200.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
30.0	RANDOM	
40.0	RANDOM	
212.0 × 21.0	RANDOM	
31.0	RANDOM	
41.0	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	4.0	
812.7	5.5	
18.2	5.5	
23.0	5.5	
224.0 × 22.0	RANDOM	
32.0	RANDOM	
42.0	RANDOM	
230.0 × 20.0	RANDOM	
232.0 × 17.0	RANDOM	
235.0 × 20.0	RANDOM	
236.0 × 23.0	RANDOM	
30.0	RANDOM	
43.0	RANDOM	
240.0 × 22.5	RANDOM	
250.0 × 15.0	RANDOM	
25.0	RANDOM	
35.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
255.5 × 29.0	RANDOM	
260.0 × 29.0	RANDOM	
267.4 × 4.0	4.0	
4.0	RANDOM	
6.5	5.5	
9.3	5.5	
15.1	5.5	
21.4	5.5	
25.4	RANDOM	
28.6	RANDOM	
285.0 × 25.0	RANDOM	
30.0	RANDOM	
35.0	RANDOM	
300.0 × 30.0	RANDOM	
40.0	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
14.3	RANDOM	
17.4	RANDOM	
25.4	RANDOM	
33.3	RANDOM	
330.0 × 30.0	RANDOM	
40.0	RANDOM	
355.6 × 11.1	RANDOM	
19.0	RANDOM	
406.4 × 12.7	RANDOM	
21.4	RANDOM	
457.2 × 19.0	RANDOM	
23.8	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-304L

Stainless steel pipes



MASUYA

SUS-304L

外径×肉厚 (mm)	長さ (m)	摘要
6.0 × 1.0	4.0	
8.0 × 1.0	4.0	
10.0 × 1.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.7	4.0	
2.4	4.0	
12.0 × 1.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.2	4.0	
3.0	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.3	4.0	
2.3	5.0	
3.2	4.0	
3.2	5.5	
21.7 × 1.65	4.0	
2.1	4.0	
2.5	4.0	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
4.7	5.5	
27.2 × 1.65	4.0	
2.1	4.0	
2.5	4.0	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
34.0 × 1.65	4.0	
2.8	4.0	
3.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
34.0 × 3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
42.7 × 1.65	4.0	
2.8	4.0	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	5.5	
6.4	5.5	
48.3 × 3.68	5.5	ASTM
5.08	5.5	ASTM
48.6 × 1.65	4.0	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	5.5	
60.5 × 1.65	5.5	
2.8	5.5	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	5.5	
76.3 × 2.1	4.0	
3.0	5.5	
3.5	5.5	
5.2	5.5	
7.0	5.5	
9.5	5.5	
89.1 × 2.1	4.0	
3.0	5.5	
4.0	5.5	
5.5	5.5	

外径×肉厚 (mm)	長さ (m)	摘要
89.1 × 7.6	5.5	
11.0	5.5	
101.6 × 3.0	4.0	
4.0	5.5	
5.7	5.5	
8.1	5.5	
12.7	RANDOM	
114.3 × 3.0	5.5	
4.0	5.5	
6.0	5.5	
8.6	5.5	
11.1	RANDOM	
13.5	5.5	
139.8 × 3.4	RANDOM	
5.0	5.5	
6.6	5.5	
9.5	5.5	
12.7	RANDOM	
15.9	RANDOM	
165.2 × 3.4	RANDOM	
5.0	5.5	
7.1	5.5	
11.0	5.5	
14.3	RANDOM	
18.2	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	RANDOM	
12.7	RANDOM	
18.2	RANDOM	
23.0	RANDOM	
267.4 × 4.0	4.0	
6.5	RANDOM	
9.3	RANDOM	
15.1	RANDOM	
28.6	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
17.4	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-316

Stainless steel pipes

MASUYA

SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
2.0 × 0.5	2.0	
3.0 × 0.5	2.0	
0.5	30mup	コイル
1.0	2.0	
3.18 × 0.5	30mup	コイル
0.72	2.0	BA
4.0 × 0.5	2.0	
0.5	2.0	BA
0.5	4.0	
0.5	30mup	コイル
1.0	2.0	
1.0	2.0	BA
1.0	4.0	
5.0 × 0.5	2.0	
1.0	2.0	
1.0	4.0	
1.5	4.0	
6.0 × 0.5	2.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
6.35 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.24	20mup	コイル
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
7.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
8.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル

外径×肉厚 (mm)	長さ (m)	摘要
8.0 × 1.2	4.0	
1.5	4.0	
2.0	4.0	
2.5	4.0	
9.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
9.53 × 1.0	4.0	
1.0	4.0	BA
1.0	30mup	BA
1.25	4.0	
1.25	4.0	BA
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
10.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.7	4.0	
2.4	4.0	
11.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
12.0 × 0.5	4.0	
0.8	4.0	
1.0	4.0	
1.0	4.0	BA
1.0	30mup	コイル
1.2	4.0	
1.5	4.0	
2.0	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
12.0 × 3.0	4.0	
12.7 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
13.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.2	4.0	
2.2	5.5	
3.0	4.0	
3.0	5.5	
14.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
15.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
15.88 × 1.0	4.0	BA
16.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
17.0 × 1.0	4.0	
1.5	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
1.65	5.5	
2.0	4.0	
2.0	5.5	
2.3	4.0	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-316

Stainless steel pipes



MASUYA

SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
17.3 × 2.3	5.5	
3.2	4.0	
3.2	5.5	
18.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
19.0 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.6	6.096	TB
2.0	4.0	
3.0	4.0	
19.05 × 1.24	4.0	BA
1.65	4.0	BA
20.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
21.7 × 1.65	4.0	
2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
4.7	5.5	
22.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
25.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
25.4 × 1.65	4.0	BA
2.0	4.0	
2.0	4.0	BA
2.0	6.096	TB

外径×肉厚 (mm)	長さ (m)	摘要
27.2 × 1.65	4.0	
1.65	5.5	
2.1	4.0	
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
30.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
5.0	4.0	
2.0	4.0	
32.0 × 3.0	4.0	
6.0	RANDOM	
8.0	RANDOM	
34.0 × 1.65	4.0	
1.65	5.5	
2.0	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
36.0 × 3.0	4.0	
4.0	4.0	
5.0	RANDOM	
5.5	RANDOM	
6.0	RANDOM	
8.0	RANDOM	
10.0	RANDOM	
38.0 × 1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
38.0 × 2.0	4.0	
3.0	4.0	
4.0	4.0	
5.5	RANDOM	
6.0	RANDOM	
8.0	RANDOM	
40.0 × 7.5	RANDOM	
10.0	RANDOM	
42.7 × 1.65	4.0	
1.65	5.5	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	4.0	
4.9	5.5	
6.4	4.0	
6.4	5.5	
45.0 × 6.5	RANDOM	
8.5	RANDOM	
12.5	RANDOM	
46.0 × 10.0	RANDOM	
48.6 × 1.65	4.0	
1.65	5.5	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	4.0	
7.1	5.5	
50.0 × 10.0	RANDOM	
50.8 × 1.5	4.0	
2.0	4.0	
3.0	RANDOM	
3.5	RANDOM	
4.0	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-316

Stainless steel pipes



MASUYA

SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
50.8 × 5.0	RANDOM	
14.5	RANDOM	
51.0 × 13.0	RANDOM	
52.0 × 9.0	RANDOM	
53.0 × 8.5	RANDOM	
13.5	RANDOM	
54.0 × 9.0	RANDOM	
56.0 × 8.0	RANDOM	
10.0	RANDOM	
14.0	RANDOM	
60.0 × 14.0	RANDOM	
60.5 × 1.65	4.0	
2.8	4.0	
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	4.0	
8.7	5.5	
11.0	5.5	
62.0 × 8.0	RANDOM	
63.0 × 6.5	RANDOM	
11.5	RANDOM	
15.5	RANDOM	
65.0 × 10.0	RANDOM	
15.0	RANDOM	
18.0	RANDOM	
66.0 × 9.0	RANDOM	
11.0	RANDOM	
67.0 × 14.5	RANDOM	
70.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
71.0 × 7.5	RANDOM	
13.0	RANDOM	
18.0	RANDOM	
72.0 × 9.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
72.0 × 17.5	RANDOM	
73.0 × 15.8	RANDOM	
75.0 × 12.5	RANDOM	
15.0	RANDOM	
76.0 × 18.0	RANDOM	
76.3 × 2.1	4.0	
3.0	4.0	
3.0	5.5	
3.5	4.0	
3.5	5.5	
5.2	4.0	
5.2	5.5	
7.0	4.0	
7.0	5.5	
9.5	4.0	
9.5	5.5	
78.0 × 9.0	RANDOM	
16.5	RANDOM	
80.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
83.0 × 8.5	RANDOM	
85.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
16.5	RANDOM	
20.0	RANDOM	
89.1 × 2.1	4.0	
2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.5	4.0	
5.5	5.5	
7.6	4.0	
7.6	5.5	
11.0	4.0	
11.0	5.5	
15.1	RANDOM	
90.0 × 13.5	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
90.0 × 15.0	RANDOM	
20.0	RANDOM	
92.0 × 16.8	RANDOM	
95.0 × 7.5	RANDOM	
10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
22.5	RANDOM	
100.0 × 10.0	RANDOM	
15.0	RANDOM	
18.5	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
101.6 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	5.5	
5.7	5.5	
8.1	4.0	
8.1	5.5	
12.7	4.0	
12.7	5.5	
103.0 × 14.0	RANDOM	
106.0 × 13.0	RANDOM	
18.0	RANDOM	
20.0	RANDOM	
107.0 × 19.5	RANDOM	
110.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
112.0 × 11.0	RANDOM	
16.0	RANDOM	
20.5	RANDOM	
24.5	RANDOM	
114.3 × 2.1	RANDOM	
3.0	4.0	
3.0	5.5	
4.0	4.0	
4.0	5.5	
6.0	4.0	
6.0	5.5	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-316

Stainless steel pipes

MASUYA

SUS-316

外径×肉厚 (mm)	長さ (m)	摘要
114.3 × 8.6	4.0	
8.6	5.5	
11.1	4.0	
13.5	4.0	
13.5	5.5	
116.0 27.0	RANDOM	
117.0 × 19.5	RANDOM	
118.0 × 14.0	RANDOM	
× 19.0	RANDOM	
23.5	RANDOM	
27.5	RANDOM	
120.0 10.0	RANDOM	
× 15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
123.0 13.0	RANDOM	
× 12.5	RANDOM	
125.0 17.5	RANDOM	
× 22.5	RANDOM	
27.0	RANDOM	
130.0 15.0	RANDOM	
× 27.5	RANDOM	
131.0 26.0	RANDOM	
132.0 × 11.0	RANDOM	
× 13.0	RANDOM	
21.0	RANDOM	
26.0	RANDOM	
30.5	RANDOM	
135.0 15.0	RANDOM	
× 20.0	RANDOM	
25.0	RANDOM	
139.8 3.4	RANDOM	
× 5.0	4.0	
5.0	5.5	
6.6	4.0	
6.6	5.5	
9.5	4.0	
9.5	5.5	
12.7	5.5	
15.9	5.5	
140.0 14.0	RANDOM	
× 20.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
140.0 × 25.0	RANDOM	
30.0	RANDOM	
145.0 × 12.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
150.0 × 10.0	RANDOM	
12.5	RANDOM	
15.0	RANDOM	
22.0	RANDOM	
27.5	RANDOM	
35.0	RANDOM	
155.0 × 25.0	RANDOM	
160.0 × 15.0	RANDOM	
20.0	RANDOM	
24.0	RANDOM	
165.2 × 3.4	RANDOM	
5.0	4.0	
5.0	5.5	
7.1	4.0	
7.1	5.5	
11.0	4.0	
11.0	5.5	
14.3	5.5	
18.2	5.5	
170.0 × 15.0	RANDOM	
20.0	RANDOM	
26.0	RANDOM	
176.0 × 18.0	RANDOM	
180.0 × 15.0	RANDOM	
20.0	RANDOM	
27.5	RANDOM	
181.0 × 10.0	RANDOM	
16.0	RANDOM	
185.0 × 28.0	RANDOM	
190.0 × 15.0	RANDOM	
20.0	RANDOM	
25.0	RANDOM	
29.0	RANDOM	
200.0 × 10.0	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
200.0 × 25.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
200.0 × 30.0	RANDOM	
212.0 × 21.0	RANDOM	
31.0	RANDOM	
41.0	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	5.5	
12.7	RANDOM	
18.2	RANDOM	
23.0	RANDOM	
224.0 × 22.0	RANDOM	
32.0	RANDOM	
42.0	RANDOM	
230.0 × 20.0	RANDOM	
232.0 × 17.0	RANDOM	
235.0 × 20.0	RANDOM	
236.0 × 23.0	RANDOM	
43.0	RANDOM	
240.0 × 22.5	RANDOM	
250.0 × 25.0	RANDOM	
255.0 × 29.0	RANDOM	
260.0 × 29.0	RANDOM	
267.4 × 4.0	RANDOM	
6.5	RANDOM	
9.3	RANDOM	
15.1	RANDOM	
21.4	RANDOM	
25.4	RANDOM	
28.6	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
14.3	RANDOM	
17.4	RANDOM	
25.4	RANDOM	
33.3	RANDOM	
355.6 × 11.1	RANDOM	
19.0	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-316L

Stainless steel pipes

MASUYA

SUS-316L

外径×肉厚 (mm)	長さ (m)	摘要
3.18 × 0.72	2.0	BA
0.72	2.0	EP
0.72	30mup	コイル
4.0 × 0.5	2.0	
1.0	2.0	
1.0	4.0	
5.0 × 0.5	2.0	
1.0	4.0	
6.0 × 0.5	4.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	
2.0	4.0	
6.35 × 1.0	4.0	
1.0	4.0	BA
1.0	4.0	EP
1.0	30mup	コイル
1.24	4.0	
1.24	4.0	BA
1.5	4.0	
1.65	4.0	
2.0	4.0	
8.0 × 0.5	4.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	
2.0	4.0	
9.0 × 0.5	4.0	
1.0	4.0	
1.5	4.0	
2.0	4.0	
9.53 × 1.0	4.0	
1.0	4.0	BA
1.0	4.0	EP
1.0	30mup	コイル
1.25	4.0	
1.5	4.0	
10.0 × 0.5	4.0	
1.0	2.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
10.0 × 2.0	4.0	
3.0	4.0	
10.5 × 1.0	4.0	
1.2	4.0	
1.5	4.0	
1.7	4.0	
2.4	4.0	
11.0 × 1.0	4.0	
12.0 × 0.5	4.0	
1.0	4.0	
1.0	4.0	
1.0	4.0	BA
1.5	4.0	
2.0	4.0	
3.0	4.0	
12.7 × 1.0	4.0	
1.0	4.0	BA
1.24	4.0	
1.24	4.0	BA
1.24	4.0	EP
1.5	4.0	
1.65	4.0	
1.65	4.0	BA
2.0	4.0	
13.0 × 1.0	4.0	
13.8 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.0	5.5	
2.2	4.0	
2.2	5.5	
3.0	4.0	
3.0	5.5	
14.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
15.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
16.0 × 1.0	4.0	
1.5	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
16.0 × 2.0	4.0	
3.0	4.0	
17.3 × 1.2	4.0	
1.65	4.0	
2.0	4.0	
2.0	5.5	
2.3	4.0	
2.3	5.5	
3.2	4.0	
3.2	5.5	
18.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
19.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
19.05 × 1.24	4.0	BA
1.24	4.0	EP
1.65	4.0	BA
20.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
21.7 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.1	4.0	
2.1	4.0	EP
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.8	4.0	
2.8	5.5	
3.7	4.0	
3.7	5.5	
4.7	4.0	
22.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
25.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-316L

Stainless steel pipes



MASUYA

SUS-316L

外径×肉厚 (mm)	長さ (m)	摘要
25.4 × 2.0	4.0	
27.2 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.1	4.0	
2.1	4.0	EP
2.1	5.5	
2.5	4.0	
2.5	5.5	
2.9	4.0	
2.9	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
30.0 × 1.0	4.0	
1.5	4.0	
2.0	4.0	
3.0	4.0	
32.0 × 2.0	4.0	
34.0 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	
2.8	4.0	EP
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.4	4.0	
3.4	5.5	
4.5	4.0	
4.5	5.5	
6.4	4.0	
6.4	5.5	
38.0 × 2.0	4.0	
3.0	4.0	
40.0 × 7.5	RANDOM	
10.0	RANDOM	
42.7 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	

外径×肉厚 (mm)	長さ (m)	摘要
42.7 × 2.8	5.5	
3.0	4.0	
3.0	5.5	
3.6	4.0	
3.6	5.5	
4.9	4.0	
6.4	4.0	
6.4	5.5	
10.0	RANDOM	
45.0 × 6.5	RANDOM	
48.6 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	
2.8	4.0	EP
2.8	5.5	
3.0	4.0	
3.0	5.5	
3.7	4.0	
3.7	5.5	
5.1	4.0	
5.1	5.5	
7.1	4.0	
7.1	5.5	
8.7	RANDOM	
10.2	5.5	
56.0 × 8.0	RANDOM	
10.0	RANDOM	
14.0	RANDOM	
60.5 × 1.65	4.0	
1.65	4.0	ID
1.65	4.0	EP
2.8	4.0	
2.8	4.0	EP
2.8	5.5	
3.5	4.0	
3.5	5.5	
3.9	4.0	
3.9	5.5	
5.5	4.0	
5.5	5.5	
8.7	5.5	

外径×肉厚 (mm)	長さ (m)	摘要
60.5 × 11.0	5.5	
63.0 × 11.5	RANDOM	
15.5	RANDOM	
65.0 × 10.0	RANDOM	
70.0 × 10.0	RANDOM	
71.0 × 7.5	RANDOM	
13.0	RANDOM	
75.0 × 17.5	RANDOM	
76.3 × 2.1	4.0	
2.1	4.0	ID
2.1	4.0	EP
3.0	4.0	
3.0	4.0	EP
3.0	5.5	
3.5	4.0	
3.5	5.5	
5.2	4.0	
5.2	5.5	
7.0	4.0	
7.0	5.5	
9.5	5.5	
80.0 × 8.5	RANDOM	
15.0	RANDOM	
20.0	RANDOM	
85.0 × 15.0	RANDOM	
20.0	RANDOM	
89.1 × 2.1	4.0	
2.1	4.0	ID
2.1	4.0	EP
3.0	4.0	
3.0	4.0	EP
3.0	5.5	
4.0	4.0	
4.0	5.5	
5.5	4.0	
5.5	5.5	
7.6	4.0	
7.6	5.5	
11.0	4.0	
11.0	5.5	
15.1	RANDOM	
90.0 × 13.5	RANDOM	

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

シームレスパイプ

SUS-316L

Stainless steel pipes



MASUYA

SUS-316L

外径×肉厚 (mm)	長さ (m)	摘要
90.0 × 20.0	RANDOM	
95.0 × 12.5	RANDOM	
22.5	RANDOM	
100.0 × 15.0	RANDOM	
18.5	RANDOM	
101.6 × 3.0	4.0	
4.0	4.0	
5.7	5.5	
8.1	5.5	
12.7	4.0	
12.7	RANDOM	
106.0 × 13.0	RANDOM	
18.0	RANDOM	
21.5	RANDOM	
112.0 × 16.0	RANDOM	
114.3 × 2.1	RANDOM	
2.1	4.0	ID
2.1	4.0	EP
3.0	4.0	
3.0	4.0	EP
3.0	5.5	
4.0	4.0	
4.0	5.5	
6.0	4.0	
6.0	5.5	
8.6	4.0	
8.6	5.5	
11.1	RANDOM	
13.5	4.0	
13.5	5.0	
118.0 × 14.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
118.0 × 19.0	RANDOM	
125.0 × 12.5	RANDOM	
17.5	RANDOM	
22.5	RANDOM	
23.0	RANDOM	
27.0	RANDOM	
130.0 × 15.0	RANDOM	
132.0 × 13.0	RANDOM	
21.0	RANDOM	
26.0	RANDOM	
139.8 × 2.8	RANDOM	
3.4	RANDOM	
5.0	4.0	
5.0	5.5	
6.6	5.5	
9.5	5.5	
12.7	RANDOM	
15.9	5.5	
140.0 × 20.0	RANDOM	
150.0 × 22.0	RANDOM	
27.5	RANDOM	
160.0 × 24.0	RANDOM	
165.2 × 3.4	RANDOM	
5.0	4.0	
5.0	5.5	
7.1	4.0	
7.1	5.5	
11.0	5.5	
14.3	5.5	
18.2	5.5	
170.0 × 20.0	RANDOM	

外径×肉厚 (mm)	長さ (m)	摘要
170.0 × 26.0	RANDOM	
180.0 × 20.0	RANDOM	
190.0 × 20.0	RANDOM	
25.0	RANDOM	
200.0 × 20.0	RANDOM	
212.0 × 41.0	RANDOM	
216.3 × 4.0	RANDOM	
6.5	RANDOM	
8.2	RANDOM	
12.7	RANDOM	ID
18.2	RANDOM	EP
23.0	RANDOM	
224.0 × 42.0	RANDOM	EP
236.0 × 23.0	RANDOM	
43.0	RANDOM	
267.4 × 4.0	RANDOM	
6.5	RANDOM	
9.3	RANDOM	
15.1	RANDOM	
21.4	RANDOM	
25.4	RANDOM	
28.6	RANDOM	
318.5 × 4.5	RANDOM	
6.5	RANDOM	
10.3	RANDOM	
14.3	RANDOM	
17.4	RANDOM	
25.4	RANDOM	ID
33.3	RANDOM	EP
355.6 × 11.1	RANDOM	
19.0	RANDOM	EP

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

溶接管

SUS-304

Stainless steel pipes



MASUYA

SUS-304

外径×厚さ (mm)	長さ (mm)
10.5 × 2.0	4000
13.8 × 2.0	4000
2.2	4000
2.5	4000
3.0	4000
17.3 × 2.0	4000
2.3	4000
2.5	4000
3.0	4000
21.7 × 2.0	4000
2.5	4000
3.0	4000
27.2 × 2.0	4000
2.5	4000
3.0	4000
34.0 × 2.0	4000
3.0	4000
3.5	4000
42.7 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
48.6 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
60.5 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
76.3 × 2.0	4000
3.0	4000

外径×厚さ (mm)	長さ (mm)
76.3 × 3.5	4000
4.0	4000
5.2	4000
89.1 × 2.0	4000
3.0	4000
4.0	4000
5.5	4000
7.6	4000
101.6 × 2.0	4000
3.0	4000
4.0	4000
5.7	4000
114.3 × 2.0	4000
3.0	4000
4.0	4000
6.0	4000
8.6	4000
139.8 × 3.0	4000
3.5	4000
4.0	4000
5.0	4000
6.6	4000
9.5	4000
165.2 × 3.0	4000
3.5	4000
4.0	4000
5.0	4000
7.1	4000
11.0	4000
216.3 × 3.0	4000
4.0	4000
5.0	4000
6.5	4000

外径×厚さ (mm)	長さ (mm)
216.3 × 8.2	4000
12.7	4000
267.4 × 3.0	4000
4.0	4000
6.5	4000
9.3	4000
15.1	4000
318.5 × 3.0	4000
4.0	4000
4.5	4000
6.5	4000
10.3	4000
17.4	4000
355.6 × 4.0	4000
5.0	4000
6.0	4000
6.5	4000
8.0	4000
11.1	4000
406.4 × 4.0	4000
5.0	4000
6.0	4000
6.5	4000
8.0	4000
12.7	4000
457.2 × 4.0	4000
5.0	4000
6.0	4000
8.0	4000
14.3	4000
508.0 × 15.1	4000

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

溶接管

SUS-304L

Stainless steel pipes



MASUYA

SUS-304L

外径×厚さ (mm)	長さ (mm)
17.3 × 2.0	4000
21.7 × 2.0	4000
3.0	4000
27.2 × 2.0	4000
3.0	4000
34.0 × 2.0	4000
3.0	4000
3.5	4000
42.7 × 3.0	4000
48.6 × 3.0	4000
60.5 × 3.0	4000
3.5	4000
4.0	4000
76.3 × 3.0	4000
3.5	4000
4.0	4000
5.2	4000

外径×厚さ (mm)	長さ (mm)
89.1 × 3.0	4000
4.0	4000
5.5	4000
114.3 × 3.0	4000
4.0	4000
6.0	4000
139.8 × 3.0	4000
3.5	4000
5.0	4000
165.2 × 3.5	4000
5.0	4000
216.3 × 4.0	4000
6.5	4000
267.4 × 4.0	4000
6.5	4000
318.5 × 4.5	4000
6.5	4000

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

溶接管

SUS-316

Stainless steel pipes



MASUYA

SUS-316

外径×厚さ (mm)	長さ (mm)
13.8 × 2.0	4000
17.3 × 2.0	4000
3.0	4000
21.7 × 2.0	4000
2.5	4000
3.0	4000
27.2 × 2.0	4000
2.5	4000
3.0	4000
34.0 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
42.7 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
48.6 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
60.5 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
76.3 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
5.2	4000
89.1 × 2.0	4000
3.0	4000
4.0	4000

外径×厚さ (mm)	長さ (mm)
89.1 × 5.5	4000
101.6 × 2.0	4000
3.0	4000
4.0	4000
6.0	4000
114.3 × 2.0	4000
3.0	4000
4.0	4000
6.0	4000
139.8 × 3.0	4000
3.5	4000
5.0	4000
6.6	4000
9.5	4000
165.2 × 3.0	4000
3.5	4000
5.0	4000
7.1	4000
11.0	4000
216.3 × 3.0	4000
4.0	4000
6.5	4000
8.2	4000
267.4 × 3.0	4000
4.0	4000
6.5	4000
9.3	4000
318.5 × 4.0	4000
4.5	4000
6.5	4000
10.3	4000
355.6 × 4.0	4000
5.0	4000

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

溶接管

SUS-316L

Stainless steel pipes



MASUYA

SUS-316L

外径×厚さ (mm)	長さ (mm)
13.8 × 2.0	4000
17.3 × 2.0	4000
2.5	4000
21.7 × 2.0	4000
2.5	4000
3.0	4000
27.2 × 2.0	4000
2.5	4000
3.0	4000
34.0 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
42.7 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
48.6 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
60.5 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
76.3 × 2.0	4000
3.0	4000
3.5	4000
4.0	4000
5.2	4000
89.1 × 2.0	4000
3.0	4000
4.0	4000

外径×厚さ (mm)	長さ (mm)
89.1 × 5.5	4000
101.6 × 2.0	4000
3.0	4000
4.0	4000
6.0	4000
114.3 × 2.0	4000
3.0	4000
4.0	4000
6.0	4000
139.8 × 3.0	4000
3.5	4000
5.0	4000
6.6	4000
9.5	4000
165.2 × 3.0	4000
3.5	4000
5.0	4000
7.1	4000
11.0	4000
216.3 × 3.0	4000
4.0	4000
6.5	4000
8.2	4000
267.4 × 3.0	4000
4.0	4000
318.5 × 3.0	4000
4.0	4000
4.5	4000
6.5	4000
10.3	4000
355.6 × 4.0	4000
5.0	4000
8.0	4000

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

角パイプ(長方形)

SUS-304 #400仕上げ・HL仕上げ

Stainless steel constructions

MASUYA

SUS-304 ■ #400仕上げ・HL仕上げ

寸法 (mm)	長さ (mm)	表面仕上げの種類				
		肉厚 1.0mm	肉厚 1.2mm	肉厚 1.5mm	肉厚 2.0mm	肉厚 3.0mm
6 × 12	4000	HL	HL			
25	4000		HL	HL		
30	4000		HL	HL		
40	4000		HL	HL		
50	4000		HL	HL		
9 × 50	4000		HL	HL		
65	4000		HL	HL		
19 × 10	4000	400, HL	400, HL			
22 × 12	5000	400, HL	400, HL	400, HL		
24 × 14	5000	400, HL	400, HL	400, HL	HL	
25 × 12	5000		400, HL	400, HL		
30 × 20	5000		400, HL	400, HL		
25	5000		HL	400, HL		
32 × 16	5000	HL	400, HL	400, HL		
40 × 18	5000	400, HL	400, HL	400, HL		
20	5000		400, HL	400, HL		
25	5000		400, HL	400, HL	400, HL	
50 × 25	5000			400, HL	400, HL	
30	5000			400, HL		
51 × 26	5000		400, HL	400, HL	400, HL	
60 × 25	5000			400, HL		
30	5000			400, HL	400, HL	
40	5000			400, HL	HL	
61 × 32	5000			400, HL	400, HL	
65 × 18	5000		400, HL	400, HL		
70 × 25	5000			HL	HL	
30	5000			HL	HL	
75 × 45	5000			400, HL	400, HL	400, HL
80 × 40	5000			400, HL	400, HL	400, HL
90 × 30	5000			400, HL	400, HL	
100 × 40	5000				400, HL	400, HL
50	5000				400, HL	400, HL
120 × 60	5000				400, HL	400, HL
125 × 75	5000				400, HL	400, HL
150 × 50	5000				400, HL	HL

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

角パイプ(正方形)

SUS-304 #400仕上げ・HL仕上げ

Stainless steel constructions

MASUYA

SUS-304 ■ #400仕上げ・HL仕上げ

寸法 (mm)	長さ (mm)	表面仕上げの種類				
		肉厚 1.0mm	肉厚 1.2mm	肉厚 1.5mm	肉厚 2.0mm	肉厚 3.0mm
7 × 7	4000	400, HL				
9 × 9	4000	400, HL				
10 × 10	4000	400, HL	400, HL			
12 × 12	4000	400, HL	400, HL			
13 × 13	4000	400, HL	400, HL			
14 × 14	4000	400, HL	400, HL			
16 × 16	5000	400, HL	400, HL	400, HL		
19 × 19	5000	400, HL	400, HL	400, HL	HL	
20 × 20	5000		400, HL	400, HL		
21 × 21	5000	400, HL	400, HL	400, HL		
22 × 22	5000	400, HL	400, HL	400, HL		
24 × 24	5000	400, HL	400, HL	400, HL		
25 × 25	5000		400, HL	400, HL		
25.4 × 25.4	5000		400, HL	400, HL		
28.6 × 28.6	5000	400, HL	400, HL	400, HL		
30 × 30	5000		400, HL	400, HL		
32 × 32	5000		400, HL	400, HL	400, HL	
35 × 35	5000		400, HL	400, HL		
38.5 × 38.5	5000		400, HL	400, HL	400, HL	
40 × 40	5000			400, HL	400, HL	
41 × 41	5000		400, HL	400, HL	400, HL	
46 × 46	5000			400, HL	400, HL	
50 × 50	5000			400, HL	400, HL	400, HL
60 × 60	5000			400, HL	400, HL	400, HL
75 × 75	5000				400, HL	400, HL
100 × 100	5000				400, HL	400, HL

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

大型・肉厚角パイプ

SUS-304 酸洗仕上げ

Stainless steel constructions

MASUYA

SUS-304 正方形 ■ 酸洗仕上げ(長さ6000mm)

寸法 (mm)	重量(kg/m)				
	肉厚 3.0mm	肉厚 4.0mm	肉厚 5.0mm	肉厚 6.0mm	肉厚 9.0mm
40 × 40	3.34	4.24			
50 × 50	4.29	5.51	6.63		
60 × 60	5.24	6.78	8.21		
75 × 75	6.67	8.68	10.6		
80 × 80	7.14	9.32			
90 × 90	8.10	10.6			
100 × 100	9.05	11.9	14.6	17.2	24.3
110 × 110	10.0	13.1			
120 × 120	11.0	14.4			
125 × 125	11.4	15.0	18.5	21.9	31.5
150 × 150	13.8	18.2	22.5	26.7	38.6
175 × 175	16.2	21.4	26.5	31.4	45.7
200 × 200	18.6	24.5	30.4	36.2	52.9
250 × 250		30.9	38.4	45.7	67.1
300 300		37.2	46.3	55.2	81.4

SUS-304 長方形 ■ 酸洗仕上げ(長さ6000mm)

寸法 (mm)	重量(kg/m)				
	肉厚 3.0mm	肉厚 4.0mm	肉厚 5.0mm	肉厚 6.0mm	肉厚 9.0mm
60 × 30	3.81	4.88			
75 × 45	5.24	6.78			
80 × 40	5.24	6.78			
90 × 50	6.19	8.05			
100 × 40	6.19	8.05			
50	6.67	8.68	10.6	12.4	
125 × 75	9.05	11.9	14.6	17.2	
150 × 75	10.2	13.4	16.5	19.5	
150 × 100	11.4	15.0	18.5	21.9	31.5
200 × 75	12.6	16.6	20.5		
100	13.8	18.2	22.5	26.7	38.6
150	16.2	21.4	26.5	31.4	45.7
300 × 200		30.9	38.4	45.7	67.1

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

化粧パイプ

SUS-304 #400仕上げ・HL仕上げ

Stainless steel constructions



SUS-304 ■ #400仕上げ・HL仕上げ(長さ4000mm)

寸法 (mm)	表面仕上の種類					
	肉厚 0.8mm	肉厚 1.0mm	肉厚 1.2mm	肉厚 1.5mm	肉厚 2.0mm	肉厚 3.0mm
5	400	400				
6	400	400				
7	400	400				
8	400	400, HL				
9	400	400				
10	400	400, HL				
12	400	400, HL				
13	400, HL	400, HL	400, HL	400, HL		
13.8			400, HL	400, HL		
14	400	400				
15	400	400, HL				
16	400, HL	400, HL	400, HL	400, HL	400, HL	
17.3				400, HL	400, HL	
19	400, HL	400, HL	400, HL	400, HL	400, HL	
21.7			400, HL	400, HL	400, HL	400, HL
22	400, HL	400, HL	400, HL	400, HL	400, HL	
25	400, HL	400, HL	400, HL	400, HL	400, HL	400, HL
25.4				400, HL	400, HL	
27.2		400, HL	400, HL	400, HL	400, HL	400, HL
32		400, HL	400, HL	400, HL	400, HL	400, HL
34		400, HL	400, HL	400, HL	400, HL	400, HL
38		400, HL	400, HL	400, HL	400, HL	400, HL
42.7			400, HL	400, HL	400, HL	400, HL
45				400, HL	400, HL	
48.6			400, HL	400, HL	400, HL	400, HL
50		400	400, HL	400, HL	400, HL	400, HL
60.5				400, HL	400, HL	400, HL
76.3				400, HL	400, HL	400, HL
89.1				400, HL	400, HL	400, HL
101.6				400, HL	400, HL	400, HL
114.3					400, HL	400, HL
139.8					400, HL	400, HL
165.2						400, HL
216.3						400, HL

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

化粧パイプ〈長尺〉

SUS-304 #400仕上げ・HL仕上げ

Stainless steel constructions

MASUYA

SUS-304 ■ #400仕上げ・HL仕上げ

寸法 (mm)	長さ(mm)		
	肉厚 1.5mm	肉厚 2.0mm	肉厚 3.0mm
13	5000 , 6000		
16	5000 , 6000		
17.3	5000 , 6000	5000 , 6000	
19	5000 , 6000		
21.7	5000 , 6000	5000 , 6000	
22	5000 , 6000		
25	5000 , 6000	5000 , 6000	
27.2	5000 , 6000	5000 , 6000	
32	5000 , 6000	5000 , 6000	
34	5000 , 6000	5000 , 6000	5000 , 6000
38	5000 , 6000	5000 , 6000	5000 , 6000
42.7	5000 , 6000	5000 , 6000	5000 , 6000
48.6	5000 , 6000	5000 , 6000	5000 , 6000
50	5000 , 6000	5000 , 6000	5000 , 6000
60.5	5000 , 6000	5000 , 6000	5000 , 6000
76.3	6000	6000	6000
89.1		6000	6000
101.6		6000	6000
114.3		6000	6000
139.8		6000	6000
165.2			6000
216.3			6000

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/